

送测信息 Requester Information

委托人员 Requested by	韦品娥 亚太办公南部应用组	样品接收日期 Sample Received Date	Jan. 06, 2026
测试目的 Test Purpose	手板样机测试 Hand plate prototype test		
检验依据 Test Standard	JC/LAB-ZY-003-2020 型式测试检验规范 Type Testing Procedure		

样品信息 Sample Information

样品名称 Sample Name	样品型号 Model Number	样品描述 Sample Description	样品编号 Sample ID
高度升降桌 Height-adjustable Table	JC35TS-R142S-668-703-376-B-05-0-0-JC	钣金地脚	HSK260014-01.01
	JC35TS-R142S-378-703-376-B-05-0-0-JC	管子地脚	HSK260014-02.01

测试结果 Test Result

样品编号 Sample ID	测试项目 Test Item	测试结果 Test Result	不符合项描述 Failure Description
HSK260014-01.01; 02.01	见详细测试内容 See the test details	PASS	/

主检人员(Tested By):

严挺 严挺

测试日期(Testing Period): Jan. 06, 2026

审核及批准(Reviewed and approved by):

郭丹 郭丹

发布日期 (Issue date): Jan. 07, 2026



测试汇总 Test Summary

样品编号 Sample ID	测试项目 Test Item	测试结果 Test Result	不符合项描述 Failure Description
HSK260014-01.01 ; 02.01	整桌晃动量测试 Whole desk of TS shaking test	PASS	/



备注(Remark):

- 1、N/A=not applicable 不适用 ;
- 2、N/T =not tested 未测试 ;
- 3、For information only 数据仅供参考

测试章节 Clause	测试方法/要求 Test Procedure/Requirement			
整桌晃动量测试 Whole table stiffness testing	整桌晃动量测试: 桌面升到最高,用 100N 的力推桌子的左、右、前、后方向; AC 为左右方向, BD 为前后方向 需要满足 QC-000387 《JC35TS 通用检验规范》中晃动量要求。 Whole table stiffness testing: The table set to the highest, 100N force push the table top from left, right, front and back direction; AC is left and right direction, BD is front and back direction. 可接受标准 acceptance Criteria :			
	立柱类型 Column Type	AC	BD	
	3 节常规倒装立柱配套 5MM 地脚 Reverse dual stage with 5mm feet	≤8mm	≤7.5mm	
	3 节常规正装立柱配套 5MM 地脚 Standard dual stage with 5mm feet	≤8mm	≤6.5mm	
	3 节常规倒装立柱配套 2.5-3MM 地脚 Reverse dual stage with 2.5~3mm feet	≤9.5mm	≤11mm	
	3 节常规正装立柱配套 2.5-3MM 地脚 Standard dual stage with 2.5~3mm feet	≤9.5mm	≤9mm	
	3 节 BIFMA 立柱配套 5MM 地脚 Dual stage BIFMA column with 5mm feet	≤8.5mm	≤7.5mm	
	3 节 BIFMA 立柱配套 2.5-3MM 地脚 Dual stage BIFMA column with 2.5~3mm feet	≤10mm	≤10mm	
	2 节立柱配套 5MM 地脚 Single stage with 5mm feet	≤8.5mm	≤7.5mm	
	2 节立柱配套 2.5-3MM 地脚 Single stage with 2.5~3 mm feet	≤10mm	≤10mm	
样品编号 Sample ID	立柱类型 Column Type	测试结果 Test Result		判定 Verdict
HSK260014-01.01		2 节立柱配套 2.5-3MM 地脚 Single stage with 2.5~3 mm feet	AC 结果 Result of AC 6.6mm	
HSK260014-02.01	2 节立柱配套 2.5-3MM 地脚 Single stage with 2.5~3 mm feet	6.0mm	9.2mm	PASS

测试照片 Test photos

TS 整桌晃动量测试 TS table shake test :



声明 Statement

1、本报告试验结果仅对受试样品有效；

The test results in this report are only valid for the tested samples;

2、未经许可本报告不得部分复制；

This report may not be partially reproduced without permission;

3、对本报告如有异议，请于收到报告之日起十五天内提出。

Objections to this report should be raised within 15 days from the date of receipt of the report.

报告结束 End of Report